

	Application No.	Applicant(s)	
Notice of Allowability	10/047,712	BARTON, ERROL WENDELL	
	Examiner	Art Unit	$\dashv$
	Anh V. La	2636	
			_
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the Amendment filed on Dec. 05, 2005.			
2. The allowed claim(s) is/are <u>2-21</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:			
1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No.			
<ul> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying Indicla such as the application number (see 37 CFR 1.84(c)) should be written on the drawings In the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
	•		
Attachment(s)	5 D Nation of Information	-44 A1i4i (DTO 450)	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	□ Interview Summary	atent Application (PTO-152)	
	Paper No./Mail Dat		
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>	8), 7. 🛛 Examiner's Amendn	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8.   Examiner's Stateme	nt of Reasons for Allowance	
of Biological Material	9.		

Application/Control Number: 10/047,712

Art Unit: 2636

## I. Examiner's Amendment:

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CAR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

## **Examiner's Amendment**

## In the claims:

In claim 2, line 6, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 2, lines 8-9, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 5, line 1, the phrase "he portable" has been changed to - - The portable

In claim 6, line 5, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 7, line 7, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 8, line 3, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

Application/Control Number: 10/047,712

Art Unit: 2636

In claim 17, line 7, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 17, line 11, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 18, line 3, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

In claim 20, line 6, the phrase "the HVAC system" has been changed to - - the HVAC unit --.

II. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh V. La whose telephone number is (571) 272-2970.

The examiner can normally be reached on Mon-Fri from 9:30am to 6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffery Hofsass can be reached on (571) 272-2981. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/047,712

Art Unit: 2636

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ANH V. LA PRIMARY EXAMINER

Anh V La Primary Examiner Art Unit 2636

Al January 06, 2006